

AZZARDO®

Track Systems

Selected visualisations presented in this catalogue have been created or modified using artificial intelligence tools and are intended for illustrative purposes. They serve to visualise products that correspond to actual models available in our offer.

Discover our collections of decorative and technical lamps.
Explore them in our dedicated catalogues.



pictorial
list



1LINE TRACK SYSTEM 1



3LINE TRACK SYSTEM 19



ALFA TRACK SYSTEM 67



BETA TRACK SYSTEM 155



DELTA TRACK SYSTEM 193



GAMMA TRACK SYSTEM 221



NEO TRACK SYSTEM 249



IP65 TRACK SYSTEM 265



ALFA ALDO 101



ALFA ALDO POINTS 102



ALFA ARYA 107



ALFA CYRUS 99



ALFA CYRUS 2LINE CCT SWITCH DIMM 117



ALFA CYRUS CCT BLUETOOTH 138



ALFA ELIN 107



ALFA ELSA 108



ALFA KERRY CCT BLUETOOTH 141



ALFA KERRY 2LINE CCT SWITCH DIMM 123




ALFA KIRA DALI CCT DIMM 149



ALFA KIRA II 95



ALFA KIRA II CCT BLUETOOTH 135



ALFA KIRA 95



ALFA KIRA POINTS50 CCT BLUETOOTH 135



ALFA KIRA 2LINE CCT SWITCH DIMM 115



ALFA KORI 106



ALFA MAKITA II 105



ALFA MAKITA CCT BLUETOOTH 129



ALFA MAKITA II 2LINE CCT SWITCH DIMM 120



ALFA MITUS 2LINE CCT SWITCH DIMM 124



ALFA NIKKI 103



ALFA NIKO 2LINE
CCT SWITCH
DIMM 119



ALFA NIKO 104



ALFA NIKO DALI
CCT DIMM 151



ALFA OPTICA
2LINE CCT
SWITCH DIMM 122



ALFA SAGA II 91



ALFA SAGA II
CCT
BLUETOOTH 133



ALFA SAGA II
CORNER 94



ALFA SAGA 89



ALFA SAGA CCT
BLUETOOTH 131



ALFA SAGA
2LINE CCT
SWITCH DIMM 113



ALFA SAGA
2LINE CORNER
CCT SWITCH
DIMM 111



ALFA SAGA DALI
CCT DIMM 145



ALFA SAGA DALI
CORNER 147



ALFA SAGA
CORNER 93




ALFA SAGA
CORNER CCT
BLUETOOTH 134



ALFA SARI 97



ALFA SARI CCT
BLUETOOTH 139



ALFA SONYA
CCT
BLUETOOTH 140




ALFA IRMA 87



ALFA 27 NORA 83




ALFA 27 SENTA 85



ALIA TRACK
3LINE 28



ALIA TRACK
1LINE 6




BETA GARY
230V GU10 175



BETA KERRY
230V 173



BETA KERRY
230V CCT
BLUETOOTH 185



BETA KIRA 230V 167




BETA KIRA 230V
CCT
BLUETOOTH 183



BETA MAKITA
230V 170




BETA MAKITA
230V CCT
BLUETOOTH 187



BETA OPTICA
230V 171



BETA OPTICA
230V CCT
BLUETOOTH 189



BETA SAGA
230V 165



BETA SAGA
230V CCT
BLUETOOTH 183



BETA SANDERS
230V 169



BETA SANDERS
230V CCT
BLUETOOTH 186



BROSS ARM
TRACK 3LINE
GU10 41



COSTA ARM
TRACK 3LINE 47



COSTA TRACK
3LINE 48



DELTA ANTILA
CCT BK 214




DELTA DORADO
CCT CLEAR 215



DELTA DORADO
CCT MILKY 216



DELTA KERRY
CCT BK 218



DELTA KIRA CCT
BK 210




DELTA KIRKA
CCT BK 208



DELTA MENSA
CCT BK 217



DELTA PAVO
CCT BK 213



DELTA SAGA
CCT BK 209




DELTA SAGI CCT
BK 207



DELTA TEMIDA
CCT BK 211



DELTA FLEX
LAMP CCT 205



DELTA PENDANT
150 SET 32W+
BK 204



EIGER TRACK
3LINE GU10 37



EREBUS TRACK
3LINE GU10 33



EXO TRACK
1LINE GU10 11



EXO TRACK
3LINE GU10 34



FOCUS TRACK
3LINE 54




GALILEO TRACK
3LINE 53




GAMMA DANIEL 236



GAMMA DANKA 235



GAMMA KIRA 229



GAMMA KIRA
CCT
BLUETOOTH 240



GAMMA NIKO 234



GAMMA NIKO
CCT
BLUETOOTH 244



GAMMA SAGA 227




GAMMA SAGA
CCT
BLUETOOTH 239



GAMMA
SANGRIA POINT 232



GAMMA
SANGRIA POINT
CCT
BLUETOOTH 241



GAMMA
SANGRIA 231



GAMMA
SANGRIA CCT
BLUETOOTH 241



GAMMA SAN-
GRIA UGR CCT
BLUETOOTH 242



GAMMA
SANGRIA UGR 233



GULIA TRACK
3LINE GU10 42



JANE TRACK
3LINE GU10 36



JERRY TRACK
1LINE 15



JERRY TRACK
3LINE 35



KIRKE TRACK
1LINE CCT 16



KIRKE TRACK
3LINE CCT 50



LENS TRACK
3LINE GU10 40



LEON TRACK
3LINE 64



LINNEA TRACK
3LINE CCT 59



LOLO TRACK
1LINE GU10 12




LOLO TRACK
3LINE GU10 39



LOTTE TRACK
3LINE CCT
SWITCH 49



LUCAS TRACK
1LINE 7



LUCAS TRACK
3LINE 29



LUMI FLEX
TRACK 3LINE 56



LUMI TRACK
3LINE 55



MEGARA TRACK
3LINE GU10 40



MIKKA TRACK
3LINE 57



MONA TRACK
3LINE 58



NEO SERIE 100
21W CCT
BLUETOOTH 253



NEO SERIE 120
CCT
BLUETOOTH 255



NEO SERIE 140
1 CCT BLUETO-
OTH 257



NEO SERIE 160
CCT
BLUETOOTH 259



NEO SERIE 180
CCT
BLUETOOTH 259



NEO SERIE 200
CCT
BLUETOOTH 261




NEO SERIE 220
CCT
BLUETOOTH 262



PIXEL TRACK
3LINE CCT
SWITCH 54



PLAIN TRACK
1LINE 13



SANTOS
SQUARE TRACK
3LINE 46



SANTOS TRACK
3LINE 45



SANTOS TRACK
3LINE GU10 44



SKYE TRACK
3LINE 43



SPACE TRACK
3LINE CCT
SWITCH 63



TANKER TRACK
3LINE CCT
SWITCH 61



TIVOLI TRACK
3LINE 53



TRACK IP65
FERNA DIMM 276



TRACK IP65
LIDO DIMM 273



TRACK IP65
MURANO DIMM 275



TRACK IP65
SAMI D12 DIMM 277





TRACK IP65
SONIC DIMM 278

TRACK 1LINE




TRACK ILINE INSTALLATION SCHEME




TRACK ILINE (1m, 1,5m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ4729
	○ 1m	white		AZ4728
	● 1,5m	black		AZ4731
	○ 1,5m	white		AZ4730
	● 2m	black		AZ4733
	○ 2m	white		AZ4732
	● 3m	black		AZ4735
	○ 3m	white		AZ4734




TRACK ILINE SET+ END POWER + END CAP

Length/Color/Code	● 1m	black		AZ4723
	○ 1m	white		AZ4722
	● 1,5m	black		AZ4725
	○ 1,5m	white		AZ4724
	● 2m	black		AZ4727
	○ 2m	white		AZ4726
	● 3m	black		AZ4795
	○ 3m	white		AZ4794




TRACK ILINE STRAIGHT CONNECTOR POWER

Color/Code	● black		AZ5567
	○ white		AZ5568




TRACK ILINE END POWER

Color/Code	● black		AZ4743
	○ white		AZ4742




TRACK ILINE STRAIGHT CONNECTOR

Color/Code	● black		AZ4737
	○ white		AZ4736





TRACK ILINE L CONNECTOR

Color/Code	● black		AZ4739
	○ white		AZ4738




TRACK ILINE T CONNECTOR

Color/Code	● black		AZ4741
	○ white		AZ4740



TRACK ILINE END CAP


Color/Code	● black		AZ4745
	○ white		AZ4744





TRACK ILINE ELECTRIC ADAPTER

- Color/Code
- black AZ4749
 - white AZ4748




TRACK ILINE PENDANT ACCESSORY 1.5M

- Length/Color/Code
- 1,5m black AZ4747
 - 1,5m white AZ4746



CEILING PLATE + WIRE


- Length/Color/Code
- 2m black AZ4780
 - 2m white AZ4782




ALIA BASE TRACK 1LINE



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminum	Finish Matt	



- black AZ6222
 - white AZ6223
- 

We recommend: EXCLUSIVE BULBS SERIES




3000K	AZ6054	3000K	AZ6386	3000K	AZ6052
4000K	AZ6055	4000K	AZ6387	4000K	AZ6053

ALIA
base track 1line

ALIA
rings

ALIA
base + ring




ALIA
base track 1line

- black AZ6222
- white AZ6223



ALIA
rings

- black AZ6224
- white AZ6225
- chrome AZ6226
- black / chrome AZ6227
- brushed / gold AZ6228
- gold AZ6229



ALIA EXAMPLE SETS



AZ6222 + AZ6226



AZ6222 + AZ6227



AZ6222 + AZ6229



AZ6223 + AZ6225



AZ6223 + AZ6226



AZ6223 + AZ6228



LUCAS BASE TRACK ILINE





Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminum	Finish Matt	

90°
tilt

350°
rotation

● black AZ6101

○ white AZ6100



LUCAS BASE TRACK ILINE PENDANT





Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminum	Finish Matt	

● black AZ6152

○ white AZ6153



LUCAS RIBBED TUBE



Lucas Ribbed Tube black	Lucas Ribbed Tube bronze	Lucas Ribbed Tube gold	Lucas Ribbed Tube white
● 9cm AZ6126	● 9cm AZ6129	● 9cm AZ6128	○ 9cm AZ6127
● 20cm AZ6399	● 20cm AZ6402	● 20cm AZ6401	○ 20cm AZ6400
● 30cm AZ6138	● 30cm AZ6141	● 30cm AZ6140	○ 30cm AZ6139
● 40cm AZ6142	● 40cm AZ6145	● 40cm AZ6144	○ 40cm AZ6143
● 50cm AZ6146	● 50cm AZ6149	● 50cm AZ6148	○ 50cm AZ6147

LUCAS SMOOTH TUBE



Lucas Smooth Tube black	Lucas Smooth Tube white
● 9cm AZ6115	○ 9cm AZ6114
● 20cm AZ6117	○ 20cm AZ6116
● 30cm AZ6121	○ 30cm AZ6120
● 40cm AZ6123	○ 40cm AZ6122

LUCAS BASE TRACK ILINE EXAMPLE SETS



AZ6101 + AZ6126



AZ6101 + AZ6115



AZ6101 + AZ6128



AZ6100 + AZ6127



AZ6100 + AZ6114



AZ6100 + AZ6128

LUCAS BASE TRACK ILINE PENDANT



AZ6152 + AZ6126



AZ6153 + AZ6127



AZ6152 + AZ6128





EXO TRACK 1LINE GU10



Voltage ~ 230V	Light source 1 x GU10	Protection level IP20
Material Aluminum	Finish Matt	

- black AZ4660
- white AZ4661





LOLO TRACK 1LINE GU10



Voltage ~ 230V	Light source 1 x GU10	Protection level IP20
Material Aluminum / PVC	Finish Matt	

- black AZ4654
- white AZ4655




PLAIN TRACK ILINE 3000/4000K NEW



Voltage - 230V	Light source 1 x LED Integrated	Power 10W
Lumens 1171lm 1014lm	Kelvins 3000K 4000K	Beam angle 24° 24°
Protection level IP20	Material Aluminum / PVC	Finish Matt


- 3000K black **AZ6865** NEW
- 3000K white **AZ6864** NEW
- 4000K black **AZ6863** NEW
- 4000K white **AZ6862** NEW




JERRY TRACK 1LINE



Voltage - 230V	Light source 1 x ESI11 - GU10	Protection level IP20
Material Aluminum	Finish Matt	



- black AZ4666
- white AZ4667





KIRKE TRACK 1LINE 10W CCT



Voltage - 230V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000/4000/6500K	Beam angle 36°
Protection level IP20	CCT Yes	Type of control CCT switch
Material Aluminum / PVC	Finish Matt	



- black AZ4656
- white AZ4657



TRACK 3LINE




TRACK 3LINE INSTALLATION SCHEME




TRACK 3LINE (1m, 1,5m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ2973
	○ 1m	white		AZ2974
	● 1,5m	black		AZ3000
	○ 1,5m	white		AZ2999
	● 2m	black		AZ2975
	○ 2m	white		AZ2976
	● 3m	black		AZ4272
	○ 3m	white		AZ4271




TRACK 3LINE SET+ END POWER + END CAP (1m, 1n5m, 2m)

Length/Color/Code	● 1m	black		AZ2987
	○ 1m	white		AZ2991
	● 1,5m	black		AZ3001
	○ 1,5m	white		AZ3002
	● 2m	black		AZ2992
	○ 2m	white		AZ2988




TRACK 3LINE GIPS (1m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ4290
	○ 1m	white		AZ4289
	● 2m	black		AZ4292
	○ 2m	white		AZ4291
	● 3m	black		AZ4294
	○ 3m	white		AZ4293




TRACK 3LINE 1m COVER

Length/Color/Code	● 1m	black		AZ5522
	○ 1m	white		AZ5521




END POWER (Left, Right)

Side/Color/Code	● left	black		AZ4284
	○ left	white		AZ4283
	● right	black		AZ4116
	○ right	white		AZ4117




L CONNECTOR (Left, Right)

Side/Color/Code	● left	black		AZ2985
	○ left	white		AZ2986
	● right	black		AZ2983
	○ right	white		AZ2984




T CONNECTOR (Left, Right)

Side/Color/Code	● left	black		AZ4276
	○ left	white		AZ4275
	● right	black		AZ4278
	○ right	white		AZ4277



POWER

Color/Code	● black		AZ4274
	○ white		AZ4273






X CONNECTOR

Color/Code


- black AZ4280
- white AZ4279



POWER ADJUSTABLE CONNECTOR

Color/Code


- black AZ4286
- white AZ4285



TRACK 3LINE PENDANT ACCESSORY (1,5m)

Length/Color/Code


- 1,5m black AZ4797
- 1,5m white AZ4796



CEILING PLATE + WIRE

Color/Code


- black AZ4780
- white AZ4782



FLEXIBLE CONNECTOR

Color/Code


- black AZ4282
- white AZ4281



END POWER GIPS (Left, Right)

Side/Color/Code


- left black AZ4310
- left white AZ4309
- right black AZ4304
- right white AZ4303



L CONNECTOR GIPS (Left, Right)

Side/Color/Code


- left black AZ5438
- left white AZ5437
- right black AZ4298
- right white AZ4297



T CONNECTOR GIPS (Left, Right)

Side/Color/Code


- left black AZ5400
- left white AZ5439
- right black AZ4300
- right white AZ4299



POWER GIPS

Color/Code


- black AZ4296
- white AZ4295



X CONNECTOR GIPS

Color/Code


- black AZ4302
- white AZ4301






MINI SIMPLE CONNECTION

Color/Code	● black		AZ2981
	○ white		AZ2982




END CAP

Color/Code	● black		AZ4288
	○ white		AZ4287




END CAP GIPS

Color/Code	● black		AZ5442
	○ white		AZ5441




TRACK 3LINE ELECTRIC ADAPTER

Color/Code	● black		AZ3003
	○ white		AZ3012



TRACK 3LINE DIAGRAM


Diagram showing the correct way to connect accesories to busbars (TRACK 3LINE)
The orange line indicates polarity of the system (observe earth contact)



ALIA BASE TRACK 3LINE



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminum	Finish Matt	



- black **AZ6216**
 - white **AZ6217**
-

We recommend: EXCLUSIVE BULBS SERIES




3000K	AZ6054	3000K	AZ6386	3000K	AZ6052
4000K	AZ6055	4000K	AZ6387	4000K	AZ6053

ALIA
base track 3Line

ALIA
tubes

ALIA
base + tube



ALIA
base track 3Line

- black **AZ6216**
- white **AZ6217**


+



ALIA
tubes

- black **AZ6224**
- white **AZ6225**
- chrome **AZ6226**
- black / chrome **AZ6227**
- brushed / gold **AZ6228**
- gold **AZ6229**

00



ALIA EXAMPLE SETS



AZ6216 + AZ6226



AZ6216 + AZ6227



AZ6216 + AZ6229



AZ6217 + AZ6225



AZ6217 + AZ6226



AZ6217 + AZ6228



LUCAS BASE TRACK 3LINE



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminum	Finish Matt	
90° tilt 350° rotation ● black AZ6103 ○ white AZ6102 8,5 31 5,2		

LUCAS BASE TRACK 3LINE PENDANT



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminum	Finish Matt	
● black AZ6154 ○ white AZ6155 7,8 max.160 5,2		

LUCAS RIBBED TUBE



Lucas Ribbed Tube black	Lucas Ribbed Tube bronze	Lucas Ribbed Tube gold	Lucas Ribbed Tube white
● 9cm AZ6126	● 9cm AZ6129	● 9cm AZ6128	○ 9cm AZ6127
● 20cm AZ6399	● 20cm AZ6402	● 20cm AZ6401	○ 20cm AZ6400
● 30cm AZ6138	● 30cm AZ6141	● 30cm AZ6140	○ 30cm AZ6139
● 40cm AZ6142	● 40cm AZ6145	● 40cm AZ6144	○ 40cm AZ6143
● 50cm AZ6146	● 50cm AZ6149	● 50cm AZ6148	○ 50cm AZ6147

LUCAS SMOOTH TUBE



Lucas Smooth Tube black	Lucas Smooth Tube white
● 9cm AZ6115	○ 9cm AZ6114
● 20cm AZ6117	○ 20cm AZ6116
● 30cm AZ6121	○ 30cm AZ6120
● 40cm AZ6123	○ 40cm AZ6122

LUCAS BASE TRACK 3LINE EXAMPLE SETS



AZ6103 + AZ6126



AZ6103 + AZ6115



AZ6103 + AZ6128



AZ6102 + AZ6127



AZ6102 + AZ6114



AZ6102 + AZ6128

LUCAS BASE TRACK 3LINE PENDANT



AZ6154 + AZ6126



AZ6155 + AZ6127



AZ6154 + AZ6128





EREBUS TRACK 3LINE GU10



Voltage	Light source	Protection level
230V	1 x GU10 only LED	IP20
Material	Finish	
Aluminium / PVC	Matt	

- black AZ3391
- white AZ3390



EREBUS
base track 3Line



- black AZ3391
- white AZ3390

EREBUS
tubes



EREBUS
tubes 14


- black AZ3384
- white AZ3383
- gold AZ3385



EREBUS
tubes 21

- black AZ3387
- white AZ3386
- gold AZ3388

EREBUS
base + tube





EXO TRACK 3LINE GU10



Voltage	Light source	Protection level
230V	1 x GU10 only LED	IP20
Material	Finish	
Aluminium	Matt	


- black AZ3199
- white AZ3200




JERRY TRACK 3LINE



Voltage 230V	Light source 1 x ESI111 - GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	




- black AZ2458
- gold AZ5237
- white AZ2459




JANE TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium	Finish Matt	




- black AZ2457
- white AZ2460





EIGER TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	




- black **AZ4205**
- black/gold **AZ4206**
- gold **AZ5238**
- white **AZ4204**




MEGARA TRACK 3LINE GU10



Voltage 230V	Light source 2 x GU10 only LED	Protection level IP20
Material Aluminium	Finish Matt	




- white **AZ4442**




LOLO TRACK 3LINE GU10



Voltage	Light source	Protection level
230V	1 x GU10 only LED	IP20
Material	Finish	
Aluminium / PVC	Matt	




- black AZ4577
- white AZ4578




LENS TRACK 3LINE GU10



Voltage	Light source	Protection level
230V	1 x GU10 only LED	IP20
Material	Finish	
Aluminium	Matt	



- black AZ3511
- black/gold AZ3512
- white AZ3510




BROSS ARM TRACK 3LINE GU10




Azzardo pantent EU

Voltage	Light source	Protection level
230V	1 x GU10 only LED	IP20
Material	Finish	
Aluminium	Matt	




- black AZ3501
- white AZ3500




GULIA TRACK 3LINE GU10



Voltage	Light source	Protection level
230V	1 x GU10 only LED	IP20
Material	Finish	
Aluminium / PVC	Matt	



- black AZ4710
- gold AZ4711
- white AZ4709





SKYE TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 60°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4520
- white AZ4519





SANTOS TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	


- black AZ4203
- white AZ4202




SANTOS TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 37°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- black **AZ4183**
- white **AZ4184**
- black/gold **AZ2924**
- white/gold **AZ2925**




SANTOS SQUARE TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 25°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		



- black **AZ3525**
- white **AZ3524**





COSTA ARM TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ3486
- white AZ3487





COSTA TRACK 3LINE 12W 3000/4000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 25°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4550
- 3000K white AZ4549
- 4000K black AZ4552
- 4000K white AZ4551





LOTTE TRACK 3LINE 25W CCT SWITCH



Voltage 230V	Light source 1 x LED Integrated	Power 25W
Lumens 2000lm	Kelvins 3000 / 4000 / 6500K	Beam angle 37°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ6088





KIRKE TRACK 3LINE 10W CCT



Voltage 230V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000/4000/6000K	Beam angle 40°
CRI ≥ 80	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt


- black AZ4658
- white AZ4659




TIVOLI TRACK 3LINE 10W 3000/4000K



Voltage 230V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 25° 25°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K black AZ2224
- 3000K white AZ2222
- 4000K black AZ2225
- 4000K white AZ2223




FOCUS TRACK 3LINE 7W



Voltage 230V	Light source 1 x LED Integrated	Power 7W
Lumens 341lm	Kelvins 3000K	Beam angle 12° - 50°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		



- black AZ6083
- white AZ6082





GALILEO TRACK 3LINE 15W 3000K



Voltage	Light source	Power
230V	1 x LED Integrated	15W
Lumens	Kelvins	Beam angle
800lm	3000K	10° - 40°
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- black AZ4067
- white AZ4066





PIXEL TRACK 3LINE CCT SWITCH



Voltage	Light source	Power
230V	1 x LED Integrated	20W
Lumens	Kelvins	Beam angle
1600lm	3000 / 4000 / 6000K	20° - 60°
CRI	Protection level	CCT
≥ 90	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ6044
- white AZ6045



LUMI TRACK 3LINE 5W 3000K





Adjustable
beam angle 15° - 70°



Voltage 230V	Light source 1 x LED Integrated	Power 5W
Lumens 800lm	Kelvins 3000K	Beam angle 15° - 70°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4557
- white AZ4558



LUMI FLEX TRACK 3LINE 5W 3000K




Adjustable
beam angle 15° - 70°



Voltage 230V	Light source 1 x LED Integrated	Power 5W
Lumens 800lm	Kelvins 3000K	Beam angle 15° - 70°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- black AZ4559
- white AZ4560




MIKKA TRACK 3LINE 24W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000K	Beam angle 108°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- black AZ4516




MONA TRACK 3LINE 12W 3000/4000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 103° 103°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K black AZ4542
- 3000K white AZ4541
- 4000K black AZ4543
- 4000K white AZ4544




MONA TRACK 3LINE 18W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 105°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		



- black AZ4547
- white AZ4548





LINNEA 29 TRACK 3LINE 12W CCT



Voltage	Light source	Power
230V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000/4000/6000K	120°
CRI	Protection level	CCT
≥ 80	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ4563
- white AZ4564




LINNEA 57 TRACK 3LINE 24W CCT



Voltage	Light source	Power
230V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1920lm	3000/4000/6000K	120°
CRI	Protection level	CCT
≥ 80	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ4565
- white AZ4566




LINNEA 86 TRACK 3LINE 36W CCT




Voltage	Light source	Power
230V	1 x LED Integrated	36W
Lumens	Kelvins	Beam angle
2880lm	3000/4000/6000K	120°
CRI	Protection level	CCT
≥ 80	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ4567
- white AZ4568




TANKER TRACK 3LINE 18W CCT SWITCH



Voltage	Light source	Power
230V	1 x LED Integrated	18W
Lumens	Kelvins	Beam angle
1440lm	3000 / 4000 / 6000K	120°
CRI	Protection level	CCT
≥ 90	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ5980




TANKER TRACK 3LINE 30W CCT SWITCH



Voltage	Light source	Power
230V	1 x LED Integrated	30W
Lumens	Kelvins	Beam angle
2400lm	3000 / 4000 / 6000K	120°
CRI	Protection level	CCT
≥ 90	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ5981




TANKER TRACK 3LINE 40W CCT SWITCH



Voltage	Light source	Power
230V	1 x LED Integrated	40W
Lumens	Kelvins	Beam angle
3200lm	3000 / 4000 / 6000K	120°
CRI	Protection level	CCT
≥ 90	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ5982




SPACE TRACK 3LINE 16W CCT SWITCH



Voltage	Light source	Power
230V	1 x LED Integrated	16W
Lumens	Kelvins	Beam angle
1280lm	3000 / 4000 / 6000K	30°
CRI	Protection level	CCT
≥ 90	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ6056




SPACE TRACK 3LINE 30W CCT SWITCH



Voltage	Light source	Power
230V	1 x LED Integrated	30W
Lumens	Kelvins	Beam angle
2400lm	3000 / 4000 / 6000K	30°
CRI	Protection level	CCT
≥ 90	IP20	Yes
Type of control	Material	Finish
CCT Switch	Aluminium / PVC	Matt

- black AZ6057





LEON TRACK 3LINE



Voltage	Light source	Power
230V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	31°
CRI	Protection level	Material
≥ 80	IP20	Aluminium
Finish		
Matt		


- black AZ3491
- white AZ3490




ALFA
TRACK MAGNETIC



ALFA TRACK MAGNETIC INSTALLATION SCHEME




ALFA TRACK MAGNETIC INSTALLATION SCHEME




ALFA TRACK MAGNETIC27 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)

Length/Color/Code	● 1m	black		AZ4713
	○ 1m	white		AZ4712
	● 1,5m	black		AZ4715
	○ 1,5m	white		AZ4714
	● 2m	black		AZ4717
	○ 2m	white		AZ4716
	● 3m	black		AZ4719
	○ 3m	white		AZ4718




ALFA TRACK MAGNETIC52 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)

Length/Color/Code	● 1m	black		AZ4638
	○ 1m	white		AZ4639
	● 1,5m	black		AZ4640
	○ 1,5m	white		AZ4641
	● 2m	black		AZ4642
	○ 2m	white		AZ4643
	● 3m	black		AZ4644
	○ 3m	white		AZ4645




ALFA TRACK MAGNETIC52 (1m, 2m, 3m)
WITH END CAP 2x (all included) Anodised Silver

Length/Color/Code	● 1m	silver		AZ6356
	● 2m	silver		AZ6359
	● 3m	silver		AZ6362




ALFA TRACK MAGNETIC52 (1m, 2m, 3m)
WITH END CAP 2x (all included) Anodised Gold

Length/Color/Code	● 1m	gold		AZ6355
	● 2m	gold		AZ6358
	● 3m	gold		AZ6361




ALFA TRACK MAGNETIC52 (1m, 2m, 3m)
WITH END CAP 2x (all included) Anodised Chocolate

Length/Color/Code	● 1m	chocolate		AZ6354
	● 2m	chocolate		AZ6357
	● 3m	chocolate		AZ6360




ALFA TRACK MAGNETIC52 CORNER90 A

Color/Code	● black		AZ4679
	○ white		AZ4680
	● gold		AZ6364
	● silver		AZ6365




ALFA TRACK MAGNETIC52 CORNER90 B
SURFACE CORNER 90°


Color/Code	● black		AZ4683
	○ white		AZ4684
	● chocolate		AZ6366
	● gold		AZ6367
	● silver		AZ6368



ALFA TRACK MAGNETIC27 CORNER90 A


Color/Code	● black		AZ5003
	○ white		AZ5004






ALFA TRACK MAGNETIC 27 CORNER 90° B
SURFACE CORNER 90°

Color/Code	● black		AZ5001
	○ white		AZ5002




ALFA TRACK MAGNETIC 52 230V CONNECTOR T A

Color/Code	● black		AZ6693	NEW
	○ white		AZ6696	NEW




ALFA TRACK MAGNETIC 52 230V ELECTRICAL CONNECTOR T

Color/Code	● black		AZ6699	NEW
	○ white		AZ6700	NEW




ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

Color/Code	● black		AZ4687
	○ white		AZ4688



ALFA TRACK MAGNETIC STRAIGHT CONNECTOR

Color/Code	● black		AZ4677
	○ white		AZ4678




ALFA TRACK MAGNETIC SUSPENSION KIT 2M

Color/Code	● black		AZ4693
	○ white		AZ4694



CEILING PLATE + WIRE

Color/Code	● black		AZ4780
	○ white		AZ4782




ALFA TRACK MAGNETIC 52 COVER 1M

Color/Code	● black		AZ4652
	○ white		AZ4653


ALFA TRACK MAGNETIC 27 COVER 1M

Color/Code	● black		AZ5444
	○ white		AZ5443



ALFA TRACK MAGNETIC MECHANICAL CONNECTOR

Color/Code	● black		AZ4689
	○ white		AZ4690




ALFA TRACK MAGNETIC 52 END CAP

Color/Code	● black		AZ6372
	○ white		AZ6373
	● chocolate		AZ6369
	● gold		AZ6370
	● silver		AZ6371




ALFA TRACK MAGNETIC MULTI-ANGLE INSTALLATION SCHEME




ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 1

Color/Code	● black		AZ6481
	○ white		AZ6484




ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 2

Color/Code	● black		AZ6482
	○ white		AZ6485





ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 3

Color/Code	● black		AZ6483
	○ white		AZ6486





ALFA TRACK MAGNETIC INSTALLATION SCHEME





ALFA TRACK MAGNETIC52 GIPS1 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)

Length/Color/Code	● 1m	black		AZ4863
	○ 1m	white		AZ5457
	● 1,5m	black		AZ4864
	○ 1,5m	white		AZ5458
	● 2m	black		AZ4865
	○ 2m	white		AZ5453
	● 3m	black		AZ5455
	○ 3m	white		AZ5454




ALFA TRACK MAGNETIC52 GIPS2 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)

Length/Color/Code	● 1m	black		AZ4646
	○ 1m	white		AZ4647
	● 1,5m	black		AZ4648
	○ 1,5m	white		AZ4649
	● 2m	black		AZ4650
	○ 2m	white		AZ4651
	● 3m	black		AZ5460
	○ 3m	white		AZ5461




ALFA TRACK MAGNETIC52 GIPS1 CORNER90 A
SURFACE CORNER 90° A

Color/Code	● black		AZ4862
	○ white		AZ5461



ALFA TRACK MAGNETIC52 GIPS1 CORNER90 B
SURFACE CORNER 90° B


Color/Code	● black		AZ5463
	○ white		AZ5462







ALFA TRACK MAGNETIC52 CONNECTOR T GIPS1

Color/Code	● black		AZ6694	NEW
	○ white		AZ6697	NEW




ALFA TRACK MAGNETIC52 GIPS2 CORNER90 A
SURFACE CORNER 90° A

Color/Code	● black		AZ4681
	○ white		AZ4682




ALFA TRACK MAGNETIC52 GIPS2 CORNER90 B
SURFACE CORNER 90° B

Color/Code	● black		AZ4685
	○ white		AZ4686




ALFA TRACK MAGNETIC52 CONNECTOR T GIPS2

Color/Code	● black		AZ6695	NEW
	○ white		AZ6698	NEW




ALFA TRACK MAGNETIC MECHANICAL CONNECTOR

Color/Code	● black		AZ4689
	○ white		AZ4690



ALFA TRACK MAGNETIC52 END CAP


Color/Code	● black		AZ6372
	○ white		AZ6373




ALFA TRACK MAGNETIC INSTALLATION SCHEME



AZ6070




AZ5680




ALFA TRACK MAGNETIC EASYFIX (1m, 1.5m, 2m, 3m)
Very Easy To Instal!

Length/Color/Code	● 1m	black		AZ5676
	● 1.5m	black		AZ5677
	● 2m	black		AZ5678
	● 3m	black		AZ5679




ALFA TRACK MAGNETIC EASYFIX SPRINGS (x3, x4, x5, x7)

Quantity/Color/Code	● x3	aluminium		AZ5680
	● x4	aluminium		AZ5681
	● x5	aluminium		AZ5683
	● x6	aluminium		AZ5684



BETA/ALFA TRACK MAGNETIC50 EASYFIX 230V
MOUNTING PLATE


Color/Code	● aluminum		AZ6070
------------	------------	-------	--------






ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

Color/Code	● black		AZ4687
	○ white		AZ4688




ALFA TRACK MAGNETIC STRAIGHT CONNECTOR

Color/Code	● black		AZ4677
	○ white		AZ4678




ALFA TRACK MAGNETIC EASYFIX CORNER A

Color/Code	● black		AZ5688
------------	---------	-------	--------




ALFA TRACK MAGNETIC EASYFIX COVER 1m

Length/Color/Code	● 1m	black		AZ5686
-------------------	------	-------	-------	--------




ALFA TRACK MAGNETIC EASYFIX STRAIGHT CONNECTOR

Color/Code	● black		AZ5685
------------	---------	-------	--------





ALFA TRACK MAGNETIC EASYFIX END CAP

Color/Code	● black		AZ5687
------------	---------	-------	--------




ALFA TRACK MAGNETIC INSTALLATION SCHEME




ALFA TRACK MAGNETIC STRETCH (1m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ5836
	● 2m	black		AZ5837
	● 3m	black		AZ5838




ALFA TRACK MAGNETIC STRETCH CORNER90

Color/Code	● black		AZ5839
------------	---------	-------	--------



ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

Color/Code	● black		AZ4687
	○ white		AZ4688






ALFA TRACK MAGNETIC STRETCH CONNECTOR90 x4

Color/Code


- black AZ5840



ALFA TRACK MAGNETIC STRETCH END CAP

Color/Code


- black AZ5841



ALFA TRACK MAGNETIC STRAIGHT CONNECTOR ELECTRIC

Color/Code

- black AZ4677
- white AZ4678



REGULAR

ALFA TRACK MAGNETIC DRIVER

- * Alfa Track Magnetic Lamps
- * Alfa Track Magnetic Bluetooth Lamps

2LINE

ALFA TRACK MAGNETIC 2LINE DRIVER

- * Alfa Track Magnetic 2line Lamps

DALI

ALFA TRACK MAGNETIC DALI DRIVER



- * Alfa Track Magnetic Dali Lamps



ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNETOR

Color/Code

- black AZ4675
- white AZ4676



DRIVER OUTSIDE MEANWELL REGULAR (100W, 200W, 350W)

Power/Code




100W	...	AZ4691
200W	...	AZ4692
350W	...	AZ4866



ALFA TRACK MAGNETIC DRIVER (60W, 100W, 200W) REGULAR

Power/Color/Code



● 60W	black		AZ4669
○ 60W	white		AZ4670
● 100W	black		AZ4671
○ 100W	white		AZ4672
● 200W	black		AZ4673
○ 200W	white		AZ4674



ALFA TRACK MAGNETIC 2LINE LI DRIVER DIMM INSIDE 2LINE LI (100W, 200W)

Power/Color/Code


● 100W	black		AZ6352
○ 100W	white		AZ6682 NEW
● 200W	black		AZ6353



ALFA TRACK MAGNETIC 2LINE DRIVER INSIDE 2LINE (60+60W, 100+100W)

Power/Color/Code


● 60+60W	black		AZ6230
○ 60+60W	white		AZ6231
● 100+100W	black		AZ6232
○ 100+100W	white		AZ6233






ALFA TRACK MAGNETIC 2LINE DRIVER 2LINE DIMM INSIDE (60+60W, 100+100W)

Power/Color/Code	● 60+60W	black		AZ6234
	● 100+100W	black		AZ6235
	○ 100+100W	white		AZ6681 NEW




ALFA TRACK MAGNETIC 2LINE & DALI DRIVER ELECTRIC CONNETTOR

Color/Code	● black		AZ6258
------------	---------	-------	--------




DRIVER OUTSIDE MEANWELL (100W, 200W, 350W)

Power/Code	100W	...	AZ4691
	200W	...	AZ4692
	350W	...	AZ4866



ALFA TRACK MAGNETIC DALI DRIVER INSIDE (100W, 200W)

Power/Color/Code	● 100W	black		AZ6305
	● 200W	black		AZ6306




REGULAR

ALFA TRACK MAGNETIC27 NORA 12W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 23°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




REGULAR

ALFA TRACK MAGNETIC27 NORA 24W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




REGULAR

ALFA TRACK MAGNETIC27 NORA 18W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		



REGULAR

ALFA TRACK MAGNETIC27 SENTA 10W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 455lm	Kelvins 3000K	Beam angle 109°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black

.....

AZ6091
- 1,8 l

41,5
- 1,6 l

41,5

REGULAR

ALFA TRACK MAGNETIC27 SENTA 30W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 1400lm	Kelvins 3000K	Beam angle 109°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black

.....

AZ6093
- 1,8 l

101,2
- 1,6 l

101,2

REGULAR

ALFA TRACK MAGNETIC27 SENTA 20W 3000K



installatic: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 980lm	Kelvins 3000K	Beam angle 110°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- black

.....

AZ6092
- 1,8 l

71,3
- 1,6 l

71,3



REGULAR


ALFA TRACK MAGNETIC IRMA 12W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		



- black AZ6089



REGULAR


ALFA TRACK MAGNETIC IRMA 18W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- black AZ6090



REGULAR

ALFA SAGA TRACK MAGNETIC 12W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 600lm 600lm	Kelvins 3000K 4000K	Beam angle 114° 112°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black **AZ4603**
- 3000K white **AZ4604**
- 4000K black **AZ4605**
- 4000K white **AZ4606**



REGULAR

ALFA SAGA TRACK MAGNETIC 24W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1300lm 1300lm	Kelvins 3000K 4000K	Beam angle 112° 112°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black **AZ4607**
- 3000K white **AZ4608**
- 4000K black **AZ4609**
- 4000K white **AZ4610**



REGULAR

ALFA SAGA TRACK MAGNETIC 36W 3000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2000lm	Kelvins 3000K	Beam angle 111°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black **AZ4611**
- white **AZ4612**



REGULAR

ALFA SAGA II TRACK MAGNETIC 12W 3000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 400lm	Kelvins 3000K	Beam angle 105°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5475



REGULAR

ALFA SAGA II TRACK MAGNETIC 20W 3000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 700lm	Kelvins 3000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5477



REGULAR

ALFA SAGA II TRACK MAGNETIC 30W 3000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 1000lm	Kelvins 3000K	Beam angle 111°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5479




REGULAR

ALFA SAGA TRACK MAGNETIC CORNER A 24W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1920lm	3000K	64°
1920lm	4000K	76°
CRI	Protection level	Material
≥ 80	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black **AZ4613**
- 3000K white **AZ4614**
- 4000K black **AZ4615**
- 4000K white **AZ4616**




REGULAR

ALFA SAGA TRACK MAGNETIC CORNER B 24W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1920lm	3000K	64°
1920lm	4000K	76°
CRI	Protection level	Material
≥ 80	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black **AZ4617**
- 3000K white **AZ4618**
- 4000K black **AZ4619**
- 4000K white **AZ4620**




REGULAR

ALFA SAGA II TRACK MAGNETIC CORNER A 25W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	25W
Lumens	Kelvins	Beam angle
1400lm	3000K	120°
1400lm	4000K	120°
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black **AZ5496**
- 4000K black **AZ5497**




REGULAR

ALFA SAGA II TRACK MAGNETIC CORNER B 25W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	25W
Lumens	Kelvins	Beam angle
1400lm	3000K	120°
1400lm	4000K	120°
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black **AZ5498**
- 4000K black **AZ5499**



REGULAR

ALFA KIRA TRACK MAGNETIC 12W 3000/4000K




points




Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	53°
960lm	4000K	53°
CRI	Protection level	Material
≥ 80	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ4595
- 3000K white AZ4596
- 4000K black AZ4597
- 4000K white AZ4598



REGULAR

ALFA KIRA TRACK MAGNETIC 24W 3000/4000K



points



Voltage	Light source	Power
48V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1400lm	3000K	55°
1400lm	4000K	55°
CRI	Protection level	Material
≥ 80	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ4599
- 3000K white AZ4600
- 4000K black AZ4601
- 4000K white AZ4602



REGULAR

ALFA KIRA II TRACK MAGNETIC 6W 3000/4000K




points



Voltage	Light source	Power
48V	1 x LED Integrated	6W
Lumens	Kelvins	Beam angle
480lm	3000K	26°
480lm	4000K	27°
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5469
- 4000K black AZ5470




REGULAR

ALFA SARI TRACK MAGNETIC 6W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000K	Beam angle 99°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black **AZ5487**
- 4000K black **AZ5488**



tilt




REGULAR

ALFA SARI TRACK MAGNETIC 12W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black **AZ5489**



tilt




REGULAR

ALFA CYRUS TRACK MAGNETIC 6W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm 480lm	Kelvins 3000K 4000K	Beam angle 27° 28°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5482
- 4000K black AZ5481




REGULAR

ALFA CYRUS TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 26° 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5484
- 4000K black AZ5483




REGULAR

ALFA CYRUS TRACK MAGNETIC 18W 3000K




Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5485





REGULAR

ALFA ALDO TRACK MAGNETIC 12W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 97°
CRI ≥ 80	Protection level IP20	Material Aluminium
Finish Matt		

- black AZ4625
- white AZ4626



Rotation possible only with Alfa Track Magnetic 27





REGULAR

ALFA ALDO TRACK MAGNETIC POINTS 12W 3000/4000K



Voltage 48V	Light source 1 x LED integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 60°
CRI ≥ 80	Protection level IP20	Material Aluminium
Finish Matt		

- 3000K black AZ4621
- 3000K white AZ4622
- 4000K black AZ4623
- 4000K white AZ4624



Rotation possible only with Alfa Track Magnetic 27





REGULAR

ALFA NIKKI TRACK MAGNETIC 3W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 3W
Lumens 240lm	Kelvins 3000K	Beam angle 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black/black **AZ4589**
- gold/black **AZ4591**
- white/black **AZ4590**





REGULAR

ALFA NIKKI 2 TRACK MAGNETIC 2X3W 3000K



Voltage 48V	Light source 2 x LED Integrated	Power 8W
Lumens 640lm	Kelvins 3000K	Beam angle 26°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black/black **AZ4592**
- gold/black **AZ4594**
- white/black **AZ4593**





REGULAR

ALFA NIKO TRACK MAGNETIC 7W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 23° 20°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black/black **AZ4579**
- 3000K gold/black **AZ4583**
- 3000K white/black **AZ4580**
- 4000K black/black **AZ4581**
- 4000K white/black **AZ4582**





REGULAR

ALFA NIKO 2 TRACK MAGNETIC 2X7W 3000/4000K




Voltage 48V	Light source 2 x LED Integrated	Power 13W
Lumens 1040lm 1040lm	Kelvins 3000K 4000K	Beam angle 20° 20°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black/black **AZ4584**
- 3000K gold/black **AZ4588**
- 3000K white/black **AZ4585**
- 4000K black/black **AZ4586**
- 4000K white/black **AZ4587**



REGULAR

ALFA MAKITA II TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 22° 23°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




tilt



rotation

- 3000K black **AZ5491**
- 4000K black **AZ5492**
- 3000K white **AZ7190** NEW
- 4000K white **AZ7191** NEW




REGULAR

ALFA KORI TRACK MAGNETIC 5W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 5W
Lumens 400lm	Kelvins 3000K	Beam angle 30°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black **AZ4627**
- gold **AZ4628**




REGULAR

ALFA ELIN TRACK MAGNETIC 7W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 63° 56°
CRI ≥ 80	Protection level IP20	Material Aluminium / Glass
Finish Matt		

- 3000K black AZ4630
- 4000K black AZ4631




REGULAR

ALFA ARYA TRACK MAGNETIC 10W 3000K BK NEW





Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000K	Protection level IP20
Material Aluminium / Glass	Finish Matt	

- black AZ7098




REGULAR

ALFA ELSA TRACK MAGNETIC 7W 3000K




Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 58° 58°
CRI ≥ 80	Protection level IP20	Material Aluminium / Glass
Finish Matt		

- 3000K black AZ4633
- 3000K gold AZ4635




ALFA 2LINE - CONTROL OPTIONS




ALFA 2LINE - CONTROL OPTIONS

DOORBELL TYPE WALL SWITCH + AZZARDO DIMMER TRIAC AZ3218



DOORBELL TYPE WALL SWITCH + AZZARDO DIMMER TRIAC AZ3218 - 1LINE SOLUTION



FUNCTIONALY OF POSSIBLE OPTIONS:

FUNCTION	1	2	3	4
	• switch ON/OFF & DIMM L1 • switch ON/OFF & DIMM L2	• DIMM L1 and L2 • switch ON/OFF L1 • switch ON/OFF L2	• L1 & L2 switch ON/OFF & DIMM	• switch ON/OFF L1 • switch ON/OFF L2
Triac Dimm Wall Switch	✓	✓	✓	
Dorbell + Azzardo Dimmer triac	✓		✓	
Wall Switch				✓


2LINE

ALFA SAGA TRACK MAGNETIC 2LINE CORNER A 24W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6244
- white AZ6506 NEW




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE CORNER B 24W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 69°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6245
- white AZ6507 NEW



2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black

○ white
- AZ6236

AZ6498
- NEW
- 22

2,5 / 4,4
- 2,3

2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black

○ white
- AZ6237

AZ6499
- NEW
- 43,5

2,5 / 4,4
- 2,3

2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 / 4000 / 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black


○ white
- AZ6238

AZ6500
- NEW
- 65

2,5 / 4,4
- 2,3

2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 48W
Lumens 3840lm	Kelvins 3000 / 4000 / 7000K	Beam angle 105°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black


○ white
- AZ6239

AZ6501
- NEW
- 86,5

2,5 / 4,4
- 2,3


2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6240
- white / black AZ6502 NEW




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6241
- white / black AZ6503 NEW




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 / 4000 / 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6242
- white / black AZ6504 NEW




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 48W
Lumens 3840lm	Kelvins 3000 / 4000 / 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6243
- white / black AZ6505 NEW



2LINE

ALFA CYRUS TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6000K	Beam angle 28°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ6246
 - white / black AZ6508 NEW
-
- tilt

2LINE

ALFA CYRUS TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 / 4000 / 6000K	Beam angle 28°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ6248
 - white / black AZ6510 NEW
-
- tilt

2LINE

ALFA CYRUS TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 6000K	Beam angle 28°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ6247
 - white / black AZ6509 NEW
-
- tilt




2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 1020lm	Kelvins 3000 / 4000 / 6500K	Beam angle 37°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black **AZ6249**
- white **AZ6511** NEW




2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 1920lm	Kelvins 3000 / 4000 / 6500K	Beam angle 41°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black **AZ6250**
- white **AZ6512** NEW




2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 20W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 / 4000 / 6500K	Beam angle 45°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black **AZ6251**
- white **AZ6513** NEW




2LINE

ALFA MAKITA II TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM NEW



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6000K	Beam angle 26°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black **AZ7192** NEW
- white **AZ7193** NEW



2LINE

ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X7W CCT SWITCH DIMM



Voltage 48V	Light source 2 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000 / 6500K	Beam angle 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6252
- white AZ6514 NEW




2LINE

ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X12W CCT SWITCH DIMM



Voltage 48V	Light source 2 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 42°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6253
- white AZ6515 NEW



2LINE

ALFA OPTICA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Adjustable
beam angle 20° - 60°



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 20° - 60°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6256
- white AZ6517 NEW




2LINE

ALFA PORTO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 31°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6254
- white AZ6516 NEW



2LINE


ALFA KERRY TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



CCT SWITCH

Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000 / 6500K	Beam angle 57°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6255
- white AZ6519 NEW



2LINE


ALFA MITUS TRACK MAGNETIC 2LINE 18W CCT SWITCH DIMM




CCT SWITCH

Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 / 4000 / 6500K	Beam angle 108°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6257
- white AZ6518 NEW




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH






* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH




SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.

ALFA MAKITA TRACK MAGNETIC 7W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 – 6000K	Beam angle 37°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● black

.....

AZ4836

○ white

.....

AZ4837

90°

tilt

340°

rotation

16



ALFA MAKITA TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 – 6500K	Beam angle 50°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● black

.....

AZ4840

○ white

.....

AZ4841

90°

tilt

340°

rotation

20



ALFA MAKITA 2 TRACK MAGNETIC 2X7W CCT BLUETOOTH



Voltage 48V	Light source 2 x LED Integrated	Power 14W
Lumens 1120lm	Kelvins 3000 – 6500K	Beam angle 38°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● black

.....

AZ4838

○ white

.....

AZ4839

90°

tilt

340°

rotation

16



ALFA MAKITA TRACK MAGNETIC 30W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm	Kelvins 3000 – 6500K	Beam angle 50°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● black

.....

AZ4842

○ white

.....

AZ4843

90°

tilt

340°

rotation

23



ALFA MAKITA II TRACK MAGNETIC 12W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 26°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black

○ white
-

.....
- AZ5512

AZ7194
- NEW



ALFA MAKITA II TRACK MAGNETIC 24W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 - 6500K	Beam angle 30°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black
-
- AZ5513
-  90°
tilt

 360°
rotation


 21

 14.5





ALFA SAGA TRACK MAGNETIC 12W CCT BLUETOOTH




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6000K	Beam angle 112°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black **AZ4846**
- white **AZ4847**



ALFA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 – 6000K	Beam angle 112°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black **AZ4848**
- white **AZ4849**



ALFA SAGA TRACK MAGNETIC 36W CCT BLUETOOTH




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 – 6500K	Beam angle 104°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black **AZ4850**
- white **AZ4851**



ALFA SAGA II TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000 - 6000K	106°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		




ALFA SAGA TRACK MAGNETIC CORNER A 24W CCT BLUETOOTH NEW



Voltage	Light source	Power
48V	1 x LED Integrated	25W
Lumens	Kelvins	Beam angle
2000lm	3000 - 6000K	110°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		

- black **AZ6708** NEW
- white **AZ6709** NEW




ALFA SAGA II TRACK MAGNETIC CORNER B 25W CCT BLUETOOTH




Voltage	Light source	Power
48V	1 x LED Integrated	25W
Lumens	Kelvins	Beam angle
2000lm	3000 - 6000K	110°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		

- black **AZ5515**




ALFA KIRA TRACK MAGNETIC 12W POINTS50 CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6500K	Beam angle 53°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4901




ALFA KIRA TRACK MAGNETIC 30W POINTS50 CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm	Kelvins 3000 - 6500K	Beam angle 55°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4903




ALFA KIRA TRACK MAGNETIC 20W POINTS50 CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6000K	Beam angle 55°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4902



ALFA KIRA II TRACK MAGNETIC 6W CCT BLUETOOTH




points



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5502




ALFA CYRUS TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 5500K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5507



ALFA KIRA II TRACK MAGNETIC 12W CCT BLUETOOTH




points



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5503




Bluetooth

ALFA SARI TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	6W
Lumens	Kelvins	Beam angle
480lm	3000 - 6000K	100°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish	Matt	




Bluetooth

ALFA SARI TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000 - 6000K	103°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish	Matt	




Bluetooth

ALFA SONYA TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	20W
Lumens	Kelvins	Beam angle
1600lm	3000 - 6500K	45°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish	Matt	






ALFA KERRY TRACK MAGNETIC 5W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 5W
Lumens 400lm	Kelvins 3000 – 6500K	Beam angle 48°
CRI ≥ 80	Protection level IP20	
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



ALFA KERRY TRACK MAGNETIC 7W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 – 6000K	Beam angle 34°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



ALFA KERRY TRACK MAGNETIC 15W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 15W
Lumens 1200lm	Kelvins 3000 – 6500K	Beam angle 38°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		






SIMPLIFIED DIAGRAMA OF THE DALI SYSTEM



DALI

ALFA SAGA TRACK MAGNETIC 12W DALI CCT DIMM




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black **AZ6284**
- white **AZ7247** NEW



DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CCT DIMM




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 – 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black **AZ6285**
- white **AZ7248** NEW



DALI

ALFA SAGA TRACK MAGNETIC 36W DALI CCT DIMM




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 – 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black **AZ6494**
- white **AZ7251** NEW



DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CORNER A CCT DIMM



Voltage	Light source	Power
48V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1920lm	4000 - 6500K	103°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	DALI	Aluminium / PVC
Finish		
Matt		

- black

○ white

.....

.....

AZ6288

AZ7249

NEW
- 2,21

2,51

24,2

DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CORNER B CCT DIMM



Voltage	Light source	Power
48V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1920lm	4000 - 7000K	69°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	DALI	Aluminium / PVC
Finish		
Matt		

- black

○ white

.....

.....

AZ6289

AZ7250

NEW
- 25

2,5

2,2

DALI




DALI

ALFA KIRA TRACK MAGNETIC 12W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6000K	Beam angle 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		



DALI

ALFA KIRA TRACK MAGNETIC 36W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 4000 – 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		




DALI

ALFA KIRA TRACK MAGNETIC 24W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 4000 – 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		




DALI

ALFA NIKO TRACK MAGNETIC 7W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 4000 – 6500K	Beam angle 37°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6290




DALI

ALFA NIKO TRACK MAGNETIC 12W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 4000 – 5500K	Beam angle 41°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6291




DALI

ALFA NIKO TRACK MAGNETIC 20W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 4000 – 6500K	Beam angle 42°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6292




DALI

ALFA NIKO 2 TRACK MAGNETIC 7W DALI CCT DIMM



Voltage 48V	Light source 2 x LED Integrated	Power 7W
Lumens 1120lm	Kelvins 4000 – 6500K	Beam angle 37°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		


- black AZ6293




**BETA
TRACK MAGNETIC**




BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC INSTALLATION SCHEME




BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)				
Length/Color/Code				
● 1m	beige		AZ7314	NEW
● 1m	black		AZ5139	
○ 1m	white		AZ5140	
● 2m	beige		AZ7315	NEW
● 2m	black		AZ5141	
○ 2m	white		AZ5142	
● 3m	beige		AZ7316	NEW
● 3m	black		AZ5143	
○ 3m	white		AZ5144	



DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)				
Anodised Chocolate				
Length/Color/Code				
● 1m	chocolate		AZ6374	
● 2m	chocolate		AZ6376	
● 3m	chocolate		AZ6378	



DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)				
Anodised Gold				
Length/Color/Code				
● 1m	gold		AZ6375	
● 2m	gold		AZ6377	
● 3m	gold		AZ6379	



DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)				
Anodised Silver				
Length/Color/Code				
● 1m	silver		AZ6436	
● 2m	silver		AZ6437	
● 3m	silver		AZ6438	





DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V CORNER90 A				
Color/Code				
● beige		AZ7626	NEW	
● black		AZ5158		
○ white		AZ5159		
● chocolate		AZ6380		
● gold		AZ6381		
● silver		AZ6439		




BETA TRACK MAGNETIC57 230V CORNER90 B				
Color/Code				
● beige		AZ7327	NEW	
● black		AZ5160		
○ white		AZ5161		
● chocolate		AZ6382		
● gold		AZ6383		
● silver		AZ6440		



BETA TRACK MAGNETIC57 230V CORNER T A				
Color/Code				
● beige		AZ7385	NEW	
● black		AZ6701		
○ white		AZ6704		




BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR MECHANICAL				
Color/Code				
● black		AZ5151		






BETA TRACK MAGNETIC57 230V COVER

Color/Code	● beige		AZ7331	NEW
	● black		AZ5168	
	○ white		AZ5169	



BETA TRACK MAGNETIC57 230V END CAP

Color/Code	● beige		AZ7330	NEW
	● black		AZ5166	
	○ white		AZ5167	
	● chocolate		AZ6384	
	● gold		AZ6385	
	● silver		AZ6441	




BETA TRACK MAGNETIC 230V SUSPENSION KIT

Color/Code	● beige		AZ7324	NEW
	● black		AZ5155	




CEILING PLATE + WIRE

Color/Code	● black		AZ4780	
	○ white		AZ4782	




BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR

Color/Code	● black		AZ5154	
------------	---------	-------	--------	--



BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC

Color/Code	● black		AZ5153	
------------	---------	-------	--------	--





BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR T

Color/Code	● black		AZ6706	
	○ white		AZ6707	




BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC

Color/Code	● black		AZ5152	
------------	---------	-------	--------	--



BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP

Color/Code	● beige		AZ7325	NEW
	● black		AZ5156	
	○ white		AZ5157	




BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC57 230V GIPS 1 (1m, 2m, 3m)

Length/Color/Code				
● 1m	black		AZ5145	
○ 1m	white		AZ5146	
● 2m	black		AZ5147	
○ 2m	white		AZ5148	
● 3m	black		AZ5149	
○ 3m	white		AZ5150	




DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1

Color/Code				
● black		AZ5162		
○ white		AZ5163		



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1

Color/Code				
● black		AZ5164		
○ white		AZ5165		




BETA TRACK MAGNETIC57 230V CONNECTOR T GIPS1

Color/Code				
● black		AZ6702		
○ white		AZ6705		




BETA TRACK MAGNETIC57 230V GIPS 2 (1m, 2m, 3m)

Length/Color/Code				
● 1m	black		AZ5170	
● 2m	black		AZ5171	
● 3m	black		AZ5172	





DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2

Color/Code				
● black		AZ5173		



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS2


Color/Code				
● black		AZ5174		



BETA TRACK MAGNETIC57 230V CONNECTOR T GIPS2


Color/Code				
● black		AZ6703		

BETA TRACK MAGNETIC INSTALLATION SCHEME





BETA TRACK MAGNETIC50 EASYFIX 230V (1m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ6067
	● 2m	black		AZ6068
	● 3m	black		AZ6069




BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 A

Color/Code	● black		AZ6072
------------	---------	-------	--------



BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 B

Color/Code	● black		AZ6073
------------	---------	-------	--------




BETA TRACK MAGNETIC50 EASYFIX 230V END CAP

Color/Code	● black		AZ6074
------------	---------	-------	--------




BETA TRACK MAGNETIC50 EASYFIX 230V SPRING X1

Color/Code	● aluminum		AZ6071
------------	------------	-------	--------




BETA/ALFA TRACK MAGNETIC50 EASYFIX 230V MOUNTING PLATE

Color/Code	● aluminum		AZ6070
------------	------------	-------	--------




BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR

Color/Code	● black		AZ5154
------------	---------	-------	--------




BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC

Color/Code	● black		AZ5153
------------	---------	-------	--------




BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC

Color/Code	● black		AZ5152
------------	---------	-------	--------




BETA SAGA 230V TRACK MAGNETIC 9W 3000/4000K




Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm 720lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige **AZ7352** NEW
- 3000K black **AZ5190**
- 3000K white **AZ6470**
- 4000K beige **AZ7373** NEW
- 4000K black **AZ5214**
- 4000K white **AZ6471**




BETA SAGA 230V TRACK MAGNETIC 18W 3000/4000K




Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm 1440lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige **AZ7353** NEW
- 3000K black **AZ5191**
- 3000K white **AZ6464**
- 4000K beige **AZ7374** NEW
- 4000K black **AZ5215**
- 4000K white **AZ6465**




BETA SAGA 230V TRACK MAGNETIC 27W 3000/4000K



Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm 2160lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige **AZ7354** NEW
- 3000K black **AZ5192**
- 3000K white **AZ6466**
- 4000K beige **AZ7375** NEW
- 4000K black **AZ5216**
- 4000K white **AZ6467**



BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K




points



Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm 720lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige **AZ7349** NEW
- 3000K black **AZ5187**
- 3000K white **AZ6460**
- 4000K beige **AZ7370** NEW
- 4000K black **AZ5211**
- 4000K white **AZ6461**



BETA KIRA 230V TRACK MAGNETIC 18W 3000/4000K




points



Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm 1440lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige **AZ7350** NEW
- 3000K black **AZ5188**
- 3000K white **AZ6456**
- 4000K beige **AZ7371** NEW
- 4000K black **AZ5212**
- 4000K white **AZ6457**



BETA KIRA 230V TRACK MAGNETIC 27W 3000/4000K




points



Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm 2160lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige **AZ7351** NEW
- 3000K black **AZ5189**
- 3000K white **AZ6458**
- 4000K beige **AZ7372** NEW
- 4000K black **AZ5213**
- 4000K white **AZ6459**




BETA SANDERS 230V TRACK MAGNETIC 9W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm 720lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K beige **AZ7355** NEW
- 3000K black **AZ5193**
- 4000K beige **AZ7356** NEW
- 4000K black **AZ5194**




BETA MAKITA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K beige **AZ7361** NEW
- 3000K black **AZ5199**
- 3000K white **AZ6462**
- 4000K beige **AZ7362** NEW
- 4000K black **AZ5200**
- 4000K white **AZ6463**




BETA MAKITA 230V TRACK MAGNETIC 20W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 20W
Lumens 1600lm 1600lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K black **AZ5201**
- 3000K beige **AZ7363** NEW
- 4000K black **AZ5202**
- 4000K beige **AZ7364** NEW




BETA OPTICA 230V TRACK MAGNETIC 7W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 15° - 38° 15° - 38°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K beige **AZ7357** NEW
- 3000K black **AZ5195**
- 3000K white **AZ6468**
- 4000K beige **AZ7358** NEW
- 4000K black **AZ5196**
- 4000K white **AZ6469**




BETA OPTICA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 15° - 38° 15° - 38°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		



- 3000K beige **AZ7360** NEW
- 3000K black **AZ5198**
- 4000K beige **AZ7359** NEW
- 4000K black **AZ5197**



ADJUSTABLE BEAM ANGLE

Selectable beam angle: 15° / 24° / 38°




Rotatable optical lens

BETA KERRY 230V TRACK MAGNETIC 10W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige **AZ7365** NEW
- 3000K black **AZ5203**
- 4000K beige **AZ7366** NEW
- 4000K black **AZ5204**




BETA BECKER 230V TRACK MAGNETIC GU10



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	




- beige **AZ7376** NEW
- black **AZ5465**
- white **AZ5466**




BETA GARY 230V TRACK MAGNETIC GU10



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	




- beige **AZ7369** NEW
- black **AZ5207**
- white **AZ5208**




BETA GARY 2 230V TRACK MAGNETIC GU10 NEW



Voltage ~ 230V	Light source 2 x GU10 only LED	Material Aluminium / PVC
Finish Matt		



- beige **AZ7384** NEW
- black **AZ6692** NEW
- white **AZ6691** NEW



BLUETOOTH LED BULBS CCT DIMM




GU10 | 4,9W **AZ5421**



E14 | 4,9W **AZ5422**



E27 | 9W **AZ5423**



BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP




• beige **AZ7325**




• black **AZ5156**



○ white **AZ5157**




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH




Router

Bluetooth Gateway Smart
AZ4856

BLUETOOTH GATEWAY (OPTIONAL)

The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.

BETA SAGA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm	Kelvins 3000 – 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7340


NEW
- black

.....

AZ5178



BETA SAGA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 – 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7341


NEW
- black

.....

AZ5179



BETA SAGA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm	Kelvins 3000 – 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7342


NEW
- black

.....

AZ5180



BETA SAGA 230V TRACK MAGNETIC 18W RGB-CW BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 – 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7367

NEW
- black

.....

AZ5205



BETA KIRA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7337

NEW
- black

.....

AZ5175



BETA KIRA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7338


NEW
- black

.....

AZ5176



BETA KIRA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige


.....

AZ7339

NEW
- black

.....

AZ5177



BETA KERRY 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black

○ white

● beige
-


.....

.....
- AZ5186

AZ7233

AZ7348
- NEW

NEW



BETA SANDERS 230V TRACK MAGNETIC 9W CCT BLUETOOTH





Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige

● black
-

.....
- AZ7343

AZ5181
- NEW



BETA MAKITA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 – 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● beige

● black

.....

.....

AZ7346

AZ5184

NEW

90°

tilt

350°

rotation

18

25

10

5

BETA MAKITA 230V TRACK MAGNETIC 10W
RGB-CW CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 – 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● beige

● black

.....

.....

AZ7368

AZ5206

NEW

90°

tilt

350°

rotation

18

25

10

5

BETA MAKITA 230V TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 20W
Lumens 1600lm	Kelvins 3000 – 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● beige

● black

.....

.....

AZ7347

AZ5185

NEW

90°

tilt

350°

rotation

21

27

13


6



BETA OPTICA 230V TRACK MAGNETIC 7W CCT BLUETOOTH




Voltage ~ 230V	Light source 1 x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 – 6000K	Beam angle 15° – 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



BETA OPTICA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 – 6000K	Beam angle 15° – 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



ADJUSTABLE BEAM ANGLE

Selectable beam angle: 15° / 24° / 38°




Rotatable optical lens


DELTA
TRACK MAGNETIC
SUPER SLIM NEW




DELTA TRACK MAGNETIC SUPER SLIM INSTALLATION OPTIONS




- DELTA TRACK MAGNETIC SUPER SLIM (1m, 1,5m, 2m)
- Length/Color/Code
- 1m black AZ6975
 - 1,5m black AZ6977
 - 2m black AZ6976





- DELTA TRACK MAGNETIC SUPER SLIM CORNER90 A BK
- Color/Code
- black AZ6980



- DELTA TRACK MAGNETIC SUPER SLIM CORNER90 B BK
- Color/Code
- black AZ6981




- DELTA TRACK MAGNETIC SUPER SLIM T CONNECTOR BK
- Color/Code
- black AZ6982



- DELTA TRACK MAGNETIC SUPER SLIM END CAP BK
- Color/Code
- black AZ6983



- DELTA TRACK MAGNETIC SUPER SLIM CURVE R30
- Color/Code
- black AZ6978



- DELTA TRACK MAGNETIC SUPER SLIM CURVE R60
- Color/Code
- black AZ6979



- DELTA TRACK MAGNETIC SUPER SLIM ROD SUSPENSION
- Length/Color/Code
- 10cm black AZ7001
 - 30-60cm black AZ7004
 - 60-120cm black AZ7005



- DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ROD SUSPENSION
- Length/Color/Code
- 10cm black AZ7007
 - 30-60cm black AZ6678
 - 60-120cm black AZ6679





DELTA TRACK MAGNETIC SUPER SLIM ELECTRIC ROD SUSPENSION

Length/Color/Code

- 10cm black **AZ7000**
- 30-60cm black **AZ7002**
- 60-120cm black **AZ7003**



DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ELECTRIC ROD SUSPENSION

Length/Color/Code


- 10cm black **AZ7006**
- 30-60cm black **AZ7008**
- 60-120cm black **AZ6677**



DELTA TRACK MAGNETIC SUPER SLIM GIPS (1m, 2m)

Length/Color/Code


- 1m black **AZ6992**
- 2m black **AZ6993**



DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 A BK

Color/Code



- black **AZ6994**



DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 B BK

Color/Code

- black **AZ6995**



DELTA TRACK MAGNETIC SUPER SLIM T GIPS CONNECTOR BK

Color/Code

- black **AZ6999**



DELTA TRACK MAGNETIC SUPER SLIM GIPS END CAP BK

Color/Code

- black **AZ6996**



DELTA TRACK MAGNETIC SUPER SLIM STRAIGHT MECHANICAL CONNECTOR

Code

..... **AZ6986**



DELTA TRACK MAGNETIC SUPER SLIM 48V STRAIGHT ELECTRIC CONNECTOR BK

Color/Code

- black **AZ6989**



DELTA TRACK MAGNETIC SUPER SLIM T CONNECTOR ELECTRIC BK


Color/Code

- black **AZ6997**

DELTA TRACK MAGNETIC CONTROL OPTIONS

OPTION 1 (BLUETOOTH DRIVER)

DELTA TRACK MAGNETIC SUPER SLIM CCT DIMM BLUETOOTH DRIVER 48V BK (100W, 200W)



STANDARD

OPTION REMOTE CONTROL

SMART APP TUYA

AZ5210


AZ5209

AZ5265

AZ4857

IMPORTANT: All luminaires must be installed in ONE direction


Rotate 180° to change colour temperature: Dir. A = 2700K | Dir. B = 6200K



DELTA TRACK MAGNETIC CONTROL OPTIONS

OPTION 2 (DRIVER OUTSIDE + CONTROLLER BLEUTOOTH)

DRIVER OUTSIDE MEANWELL (100W, 200W) + CONTROLLER CCT DIMM BLUETOOTH MAX. 200W



STANDARD

OPTION REMOTE CONTROL

SMART APP TUYA

AZ5210


AZ5209

AZ5265

AZ4857

IMPORTANT: All luminaires must be installed in ONE direction


Rotate 180° to change colour temperature: Dir. A = 2700K | Dir. B = 6200K



DELTA TRACK MAGNETIC CONTROL OPTIONS


OPTION 3 (DRIVER DALI)

DELTA TRACK MAGNETIC SUPER SLIM DRIVER 200W 48V DALI BK



DELTA TRACK MAGNETIC SUPER SLIM CCT CHANGE BY POLARITY


Rotate the fixture 180° to switch between 2700K and 6200K.



DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE NEW




DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE BK
Code/Color ● black AZ6680




SMART APP
TUYA



DELTA TRACK MAGNETIC SUPER SLIM DOUBLE (1,5m)
Length/Color/Code ● 1,5m black AZ7389




DELTA TRACK MAGNETIC SUPER SLIM PENDANT 150 SET 32W+10W BK NEW



Voltage 48V	Light source 3x LED integrated	Power 2x 16W + 1x 10W
Lumens 3360lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

● black AZ6998




SMART APP
TUYA

DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT NEW




Voltage	Light source	Power
48V	1x LED integrated	6W
Lumens	Kelvins	Protection level
175lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

☐ white **AZ7303**




Voltage	Light source	Power
48V	1x LED integrated	12W
Lumens	Kelvins	Protection level
349lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

☐ white **AZ7304**




Voltage	Light source	Power
48V	1x LED integrated	18W
Lumens	Kelvins	Protection level
698lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

☐ white **AZ7305**



DELTA SAGI TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		

● black


.....

AZ5393

30

1,5

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		

● black


.....

AZ5395

30

1,5

DELTA SAGI TRACK MAGNETIC SUPER SLIM 14W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 14W
Lumens 1120lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		

● black


.....

AZ5394

60

1,5

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 14W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 14W
Lumens 1120lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		

● black


.....

AZ5396

60

1,5

DELTA SAGA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW



Voltage	Light source	Power
48V	1x LED integrated	10W
Lumens	Kelvins	Protection level
800lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

● black


.....

AZ5397

30

3,2

DELTA KIRA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW



Voltage	Light source	Power
48V	1x LED integrated	10W
Lumens	Kelvins	Protection level
800lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

● black


.....

AZ5399

30

3,2

DELTA SAGA TRACK MAGNETIC SUPER SLIM 20W CCT BK NEW



Voltage	Light source	Power
48V	1x LED integrated	20W
Lumens	Kelvins	Protection level
1600lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

● black


.....

AZ5398

60

3,2

DELTA KIRA TRACK MAGNETIC SUPER SLIM 20W CCT BK NEW



Voltage	Light source	Power
48V	1x LED integrated	20W
Lumens	Kelvins	Protection level
1600lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish		
Matt		

● black

.....

AZ5400


60

3,2

DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 12W CCT BK NEW




Voltage 48V	Light source 1x LED integrated	Power 12W
Lumens 960lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt / Shiny		



DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 18W CCT BK NEW




Voltage 48V	Light source 1x LED integrated	Power 18W
Lumens 1440lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		



DELTA PAVO TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW




Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		



DELTA PAVO TRACK MAGNETIC SUPER SLIM 12W CCT BK NEW




Voltage 48V	Light source 1x LED integrated	Power 12W
Lumens 960lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		



DELTA ANTILA TRACK MAGNETIC SUPER SLIM 3W CCT BK NEW




Voltage 48V	Light source 1x LED integrated	Power 3W
Lumens 240lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		



DELTA ANTILA TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 2700K / 6200K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya or DALI	Material Aluminium / PVC
Finish Matt		




DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT CLEAR NEW



Voltage	Light source	Power
48V	1x LED integrated	5W
Lumens	Kelvins	Protection level
400lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Glass / PVC
Finish		
Shiny		

- clear AZ5409




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT CLEAR NEW



Voltage	Light source	Power
48V	1x LED integrated	5W
Lumens	Kelvins	Protection level
400lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Glass / PVC
Finish		
Shiny		

- clear AZ5410




DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT MILKY NEW



Voltage	Light source	Power
48V	1x LED integrated	5W
Lumens	Kelvins	Protection level
400lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Glass / PVC
Finish		
Matt		

- white AZ6973




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT MILKY NEW



Voltage	Light source	Power
48V	1x LED integrated	5W
Lumens	Kelvins	Protection level
400lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Glass / PVC
Finish		
Matt		

- white AZ6974




DELTA MENSA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW




Voltage	Light source	Power
48V	1x LED integrated	10W
Lumens	Kelvins	Protection level
800lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish	Matt	

- black AZ5407




DELTA DRACO TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage	Light source	Power
48V	1x LED integrated	7W
Lumens	Kelvins	Protection level
560lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish	Matt	

- black AZ5408




DELTA KERRY TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage	Light source	Power
48V	1x LED integrated	7W
Lumens	Kelvins	Protection level
560lm	2700K / 6200K	IP20
CCT	Type of control	Material
Yes	Bluetooth Tuya or DALI	Aluminium / PVC
Finish	Matt	



- black AZ5405




**GAMMA
TRACK MAGNETIC**



GAMMA TRACK INSTALLATION SCHEME




- GAMMA TRACK MAGNETIC 5mm + 2X END CAP TRACK
(1m, 2m)
- o 1m white AZ5314
 - o 2m white AZ5315



DESIGN PATENTED BY AZZARDO




- GAMMA TRACK MAGNETIC 5mm OX + 2X END CAP TRACK
(1m, 1,5m, 2m, 3m)
- Length/Color/Code
- 1m black AZ5914
 - 1,5m black AZ5915
 - 2m black AZ5916
 - 3m black AZ5917




DESIGN PATENTED BY AZZARDO




- GAMMA TRACK MAGNETIC 5mm T CONNECTOR
- Color/Code
- black AZ5316
 - o white AZ5317




- GAMMA TRACK MAGNETIC 5mm X CONNECTOR
- Color/Code
- black AZ5318
 - o white AZ5319




- GAMMA TRACK MAGNETIC 5mm STRAIGHT CONNECTOR
- Color/Code
- black AZ5320
 - o white AZ5321




- GAMMA TRACK MAGNETIC 5mm L CONNECTOR
- Color/Code
- black AZ5324
 - o white AZ5325



- GAMMA TRACK MAGNETIC 5mm ROUND CORNER90
- Color/Code
- black AZ5326
 - o white AZ5327



- GAMMA TRACK MAGNETIC 5mm INNER CORNER90
- Color/Code
- black AZ5322
 - o white AZ5323






GAMMA TRACK MAGNETIC 35mm (1m, 1,5m, 2m, 3m)

Length/Color/Code

- 1m black AZ 5 5 6 1
- 1,5m black AZ 5 5 6 2
- 2m black AZ 5 5 6 3
- 3m black AZ 5 5 6 4



GAMMA TRACK MAGNETIC 35mm COVER

Color/Code


- black AZ 6 4 0 4



GAMMA TRACK MAGNETIC 35mm ELECTRIC CONNECTOR 180

Color/Code


- black AZ 5 5 4 2



GAMMA TRACK MAGNETIC 35mm ELECTRIC CONNECTOR FLEX

Color/Code



- black AZ 5 5 4 3



GAMMA TRACK MAGNETIC 35mm STRAIGHT MECHANICAL CONNECTOR

Color/Code

- black AZ 5 5 4 4



GAMMA TRACK MAGNETIC 35mm UNIVERSAL SUSPENSION KIT 2M

Length/Color/Code


- 2m black AZ 5 5 3 7



GAMMA TRACK MAGNETIC 35mm CORNER90 A

Color/Code


- black AZ 5 5 6 5



GAMMA TRACK MAGNETIC 35mm CORNER90 B

Color/Code


- black AZ 5 5 6 6



GAMMA TRACK MAGNETIC DRIVER (100W, 200W)

Power/Color/Code


- 100W black AZ 5 3 3 0
- 100W white AZ 5 3 3 1
- 200W black AZ 5 3 3 2
- 200W white AZ 5 3 3 3




GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE (100W, 200W)

Power/Color/Code

- 100W black AZ 5 5 7 8
- 100W white AZ 5 5 8 0
- 200W black AZ 5 5 7 9
- 200W white AZ 5 5 8 1




GAMMA TRACK INSTALLATION SCHEME




GAMMA TRACK MAGNETIC GIPS1 (1m, 1,5m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ5533
	● 1,5m	black		AZ5534
	● 2m	black		AZ5535
	● 3m	black		AZ5536




GAMMA TRACK MAGNETIC GIPS2 (1m, 1,5m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ5529
	● 1,5m	black		AZ5530
	● 2m	black		AZ5531
	● 3m	black		AZ5532




GAMMA TRACK MAGNETIC GIPS1
CORNER90 A

Color/Code	● black		AZ5538
------------	---------	-------	--------




GAMMA TRACK MAGNETIC GIPS1
CORNER90 B

Color/Code	● black		AZ5539
------------	---------	-------	--------





GAMMA TRACK MAGNETIC GIPS2
CORNER90 A

Color/Code	● black		AZ5540
------------	---------	-------	--------





GAMMA TRACK MAGNETIC GIPS2
CORNER90 B

Color/Code	● black		AZ5541
------------	---------	-------	--------



GAMMA TRACK MAGNETIC 5mm DRIVER CONNETOR

Color/Code	● black		AZ5328
	○ white		AZ5329




DRIVER OUTSIDE MEANWELL
(100W, 200W, 350W)

Power/Code	100W	...	AZ4691
	200W	...	AZ4692
	350W	...	AZ4866



GAMMA TRACK MAGNETIC 35mm DRIVER CONNETOR


Color/Code	● black		AZ6403
------------	---------	-------	--------



DRIVER OUTSIDE MEANWELL
(100W, 200W, 350W)


Power/Code	100W	...	AZ4691
	200W	...	AZ4692
	350W	...	AZ4866

GAMMA SAGA TRACK MAGNETIC 10W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	10W
Lumens	Kelvins	Beam angle
800lm	3000K	160°
800lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5298
- 4000K black AZ5299




GAMMA SAGA TRACK MAGNETIC 30W 3000/4000K




Voltage	Light source	Power
48V	1 x LED Integrated	30W
Lumens	Kelvins	Beam angle
2400lm	3000K	162°
2400lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5304
- 4000K black AZ5305




GAMMA SAGA TRACK MAGNETIC 20W 3000/4000K




Voltage	Light source	Power
48V	1 x LED Integrated	20W
Lumens	Kelvins	Beam angle
1600lm	3000K	162°
1600lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5301
- 4000K black AZ5302




GAMMA KIRA TRACK MAGNETIC 12W 3000/4000K




Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	58°
960lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5290
- 4000K black AZ5291




GAMMA KIRA TRACK MAGNETIC 24W 3000/4000K




Voltage	Light source	Power
48V	1 x LED Integrated	24W
Lumens	Kelvins	Beam angle
1920lm	3000K	57°
1920lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5296
- 4000K black AZ5297




GAMMA KIRA TRACK MAGNETIC 18W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	18W
Lumens	Kelvins	Beam angle
lm	3000K	58°
	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5293
- 4000K black AZ5294




GAMMA SANGRIA TRACK MAGNETIC 6W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	6W
Lumens	Kelvins	Beam angle
480lm	3000K	163°
480lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5266
- 4000K black AZ5267




GAMMA SANGRIA TRACK MAGNETIC 12W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	164°
960lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5269
- 4000K black AZ5270




GAMMA SANGRIA POINT TRACK MAGNETIC 6W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	6W
Lumens	Kelvins	Beam angle
480lm	3000K	61°
480lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5272
- 4000K black AZ5273




GAMMA SANGRIA POINT TRACK MAGNETIC 12W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	59°
960lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5275
- 4000K black AZ5276




GAMMA SANGRIA UGR TRACK MAGNETIC 6W 3000/4000K




Voltage	Light source	Power
48V	1 x LED Integrated	6W
Lumens	Kelvins	Beam angle
480lm	3000K	102°
480lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5278
- 4000K black AZ5279




GAMMA SANGRIA UGR TRACK MAGNETIC 12W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	103°
960lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ 5281
- 4000K black AZ5282





GAMMA NIKO TRACK MAGNETIC 7W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	7W
Lumens	Kelvins	Beam angle
560lm	3000K	58°
560lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5284
- 4000K black AZ5285





GAMMA NIKO TRACK MAGNETIC 12W 3000/4000K



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000K	52°
960lm	4000K	
CRI	Protection level	Material
≥ 90	IP20	Aluminium / PVC
Finish		
Matt		

- 3000K black AZ5287
- 4000K black AZ5288



GAMMA DANKA TRACK MAGNETIC 8W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 640lm 640lm	Kelvins 3000K 4000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5306
- 4000K black AZ5307



GAMMA DANIEL TRACK MAGNETIC 8W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 640lm 640lm	Kelvins 3000K 4000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5308
- 4000K black AZ5309




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



ROUTER

Bluetooth Gateway Smart
AZ4856

BLUETOOTH GATEWAY (OPTIONAL)


The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.

GAMMA SAGA TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000 – 6000K	Beam angle 160°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5300




GAMMA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 – 6000K	Beam angle 162°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5303




GAMMA KIRA TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6000K	Beam angle 57°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5292




GAMMA KIRA TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 – 6000K	Beam angle 58°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5295




GAMMA SANGRIA POINT TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 – 6000K	Beam angle 62°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5274




GAMMA SANGRIA UGR TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6000K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5283




GAMMA SANGRIA POINT TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6000K	Beam angle 67°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5277




GAMMA SANGRIA TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	6W
Lumens	Kelvins	Beam angle
480lm	3000 - 6000K	163°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		

- black AZ5268




GAMMA SANGRIA TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000 - 6000K	164°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		

- black AZ5271




GAMMA NIKO TRACK MAGNETIC 7W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	7W
Lumens	Kelvins	Beam angle
560lm	3000 - 6000K	58°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		

- black AZ5286




GAMMA NIKO TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage	Light source	Power
48V	1 x LED Integrated	12W
Lumens	Kelvins	Beam angle
960lm	3000 - 6000K	53°
CRI	Protection level	Dimmable
≥ 90	IP20	Yes
CCT	Type of control	Material
Yes	Bluetooth Tuya	Aluminium / PVC
Finish		
Matt		

- black AZ5289



GAMMA ADAPTER BIG




GAMMA TRACK ADAPTER BIG

Color/Code ● black AZ 5 3 1 1



TILT IS POSSIBLE ONLY WITH ADAPTER

ONLY LAMP



SANGRIA MILKY LAMP

ADAPTER BIG + LAMP



SANGRIA MILKY LAMP + ADAPTER BIG



SANGRIA POINT LAMP



SANGRIA POINT LAMP + ADAPTER BIG



SANGRIA UGR LAMP




SANGRIA UGR LAMP + ADAPTER BIG



NEO
TRACK MAGNETIC




NEO TRACK INSTALLATION SCHEME




NEO TRACK MAGNETIC (0,3m, 0,6m, 1,2m, 2m)

Length/Color/Code	● 0,3m	black		AZ5129
	● 0,6m	black		AZ5130
	● 1,2m	black		AZ5131
	● 2m	black		AZ5132



NEO TRACK MAGNETIC DRIVER (100W, 200W)

Power/Color/Code	● 100W	black		AZ5137
	● 200W	black		AZ5138




TRACK MAGNETIC DRIVER MEANWELL (100W, 200W, 350W)

Power/Color/Code	100W		AZ4691
	200W		AZ4692
	350W		AZ4866




NEO TRACK MAGNETIC CONNECTOR FOR DRIVER

Color/Code	● black		AZ5134
------------	---------	-------	--------




NEO TRACK MAGNETIC CONNECTOR 1

Color/Code	● black		AZ5136
------------	---------	-------	--------



NEO TRACK MAGNETIC CONNECTOR 2

Color/Code	● black		AZ5133
------------	---------	-------	--------



NEO TRACK MAGNETIC COVER USB-C X3

Color/Code	● black		AZ5464
------------	---------	-------	--------





NEO TRACK MAGNETIC MICRO COVER X3

Color/Code	● black		AZ5456
------------	---------	-------	--------




NEO TRACK MAGNETIC CONNECTOR X

Color/Code	● black		AZ5135
------------	---------	-------	--------




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



BLUETOOTH GATEWAY (OPTIONAL)

The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.


Diagram showing the Bluetooth Gateway Smart (AZ4856) connected to a Router. The gateway is a small white device with a blue Bluetooth symbol. It is connected to a Router via a WiFi signal (orange dotted line) and to the devices via a Bluetooth signal (blue dotted line).

NEO SERIE 100 6W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 – 6500K	Beam angle 123°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5118




29,4

NEO SERIE 100 12W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6500K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5119




58

NEO SERIE 100 21W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 21W
Lumens 1680lm	Kelvins 3000 – 6500K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5120



115





NEO SERIE 120 8W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 8W
Lumens 640lm	Kelvins 3000 - 7000K	Beam angle 33°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

• black

AZ5121

40°

tilt

7

3

12,8

3




NEO SERIE 140 9W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 9W
Lumens 720lm	Kelvins 3000 – 6500K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5126




NEO SERIE 140 12W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 – 6500K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5122




NEO SERIE 140 18W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 – 6500K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5123





NEO SERIE 160 12W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black

AZ5124
- 3,5 |

3 |

26



NEO SERIE 180 6W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 147°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- white

AZ5125
- 3,5 |

3 |

26







NEO SERIE 200 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6500K	Beam angle 41°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium
Finish Matt		

• black AZ5127





NEO SERIE 220 9W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6500K	Beam angle 113°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium
Finish Matt		

• black AZ5128




A modern outdoor patio area featuring a concrete wall and ceiling. A long, thin, black Track IP65 light fixture is mounted on the ceiling, emitting a warm glow. The patio is furnished with two wooden armchairs with light-colored cushions and a small, round, concrete side table. To the right, there are three large terracotta pots containing various green plants. The floor is made of large, light-colored tiles. The overall aesthetic is minimalist and contemporary.

TRACK IP65

NEW

TRACK IP65 INSTALLATION SCHEME




TRACK IP65 LAMP INSTALLATION SCHEME




TRACK IP65 SUSPENSION INSTALLATION SCHEME




TRACK IP65 SUSPENSION CORNERS INSTALLATION SCHEME






TRACK IP65 (1m, 2m, 3m)

Length/Color/Code	● 1m	black		AZ 6920
	○ 1m	white		AZ 6923
	● 2m	black		AZ 6921
	○ 2m	white		AZ 6924
	● 3m	black		AZ 6922
	○ 3m	white		AZ 6925



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

Length/Kelvins/Color/Code	● 1m	4000K black		AZ 7198
	○ 1m	3000K white		AZ 6926
	○ 1m	4000K white		AZ 6929
	● 2m	4000K black		AZ 7199
	○ 2m	3000K white		AZ 6927
	○ 2m	4000K white		AZ 6930
	● 3m	4000K black		AZ 7200
	○ 3m	3000K white		AZ 6928
	○ 3m	4000K white		AZ 6931



TRACK IP65 LED LINE
can be cut every 12,5 cm.

TRACK IP65 LED LINE FINISHING OPTIONS

CUT & END CAP

Seal the cut LED line with a waterproof end cap for a clean and secure finish.

* Requires AZ6932



CABLE EXIT

Shorten the power cable to the required length while maintaining IP65 protection.



* Requires AZ6932



CABLE EXIT

Connect two LED line sections securely.

* Requires AZ6932



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

Code	Length	Light source	Power	Lumens	Kelvins	Beam angle	Color	Material	Finish	IP
● AZ7198	1m	LED Integrated	10W	192lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6926	1m	LED Integrated	10W	620lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6929	1m	LED Integrated	10W	660lm	4000K	110°	White	Silicone	Matt	IP65
● AZ7199	2m	LED Integrated	20W	320lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6927	2m	LED Integrated	20W	1060lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6930	2m	LED Integrated	20W	1170lm	4000K	110°	White	Silicone	Matt	IP65
● AZ7200	3m	LED Integrated	30W	480lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6928	3m	LED Integrated	30W	1610lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6931	3m	LED Integrated	30W	1780lm	4000K	110°	White	Silicone	Matt	IP65






TRACK IP65 COVER STRAIGHT CONNECTOR

Code/Color ● black **AZ6936**
 ○ white **AZ6937**



TRACK IP65 MECHANICAL STRAIGHT CONNECTOR BK

Code ● black **AZ6712**




TRACK IP65 COVER CORNER A

Code/Color ● black **AZ6938**
 ○ white **AZ6939**




TRACK IP65 MECHANICAL CORNER A CONNECTOR BK

Code ● black **AZ6713**



TRACK IP65 COVER CORNER B CONNECTOR

Code/Color ● black **AZ7421**
 ○ white **AZ7422**





TRACK IP65 COVER T CONNECTOR

Code/Color ● black **AZ6942**
 ○ white **AZ6943**



TRACK IP65 MECHANICAL T CONNECTOR BK

Code ● black **AZ6714**




TRACK IP65 COVER X CONNECTOR

Code/Color ● black **AZ7419**
 ○ white **AZ7420**




TRACK IP65 MECHANICAL X CONNECTOR BK

Code ● black **AZ7418**





TRACK IP65 END CAP

Code/Color ● black **AZ6940**
 ○ white **AZ6941**



TRACK IP65 SUSPENSION

Code/Color ● black **AZ6934**
 ○ white **AZ6935**



TRACK IP65 CONNECTORS SET

Code/Color ○ white **AZ6932**



TRACK IP65 SILICONE GLUE

Code/Color ○ white **AZ6971**



TRACK IP65 DRIVER 100W/200W/300W


Code/Power 100W **AZ6964**
 200W **AZ6965**
 300W **AZ6966**




TRACK IP65 WATERPROOF CONNECTOR BOX
Code/Color ● black AZ6972




TRACK IP65 COVER DRIVER BOX (100W/200W)
Code/Color ● black AZ6969
 ○ white AZ6970



TRACK IP65 COVER DRIVER BOX (300W)
Code/Color ● black AZ6967
 ○ white AZ6968



TRACK IP65 CONTROL OPTIONS




TRACK IP65 LIDO 10W DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 600lm 600lm	Kelvins 3000K 4000K	Beam angle 45°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6948
- 3000K white AZ6949
- 4000K black AZ6950
- 4000K white AZ6951




TRACK IP65 LIDO 20W DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1000lm	Kelvins 3000K	Beam angle 45°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		


- 3000K black AZ6953
- 3000K white AZ6952
- 4000K black AZ6955
- 4000K white AZ6954




TRACK IP65 MURANO 8W DIMM 3000/4000K NEW



Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 530lm 530lm	Kelvins 3000K 4000K	Beam angle 50°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		




- 3000K black **AZ6944**
- 3000K white **AZ6945**
- 4000K black **AZ6946**
- 4000K white **AZ6947**



TRACK IP65 FERNA 16W DIMM 3000/4000K NEW



Voltage 48V	Light source 1 x LED Integrated	Power 16W
Lumens 660lm 660lm	Kelvins 3000K 4000K	Beam angle 38°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		



- 3000K black **AZ6956**
- 3000K white **AZ6957**
- 4000K black **AZ6958**
- 4000K white **AZ6959**




TRACK IP65 SAMI D12 3000/4000K DIMM

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 500lm 500lm	Kelvins 3000K 4000K	Beam angle 360°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ7224
- 3000K white AZ7222
- 4000K black AZ7225
- 4000K white AZ7223



TRACK IP65 SONIC DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 11W
Lumens 880lm 880lm	Kelvins 3000K 4000K	Beam angle 38°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6960
- 3000K white AZ6961
- 4000K black AZ6962
- 4000K white AZ6963



RESERVATIONS
TECHNOLOGICAL changes and limitations

*We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.*

*Nous nous reservons le droid d'apporter des modifications dans le choix et le design des modeles.
Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement
varier par rapport a celles du catalogue.*

*Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskálá, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.*

*Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.*

*Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.*

MULTICOLOR

*We can paint the lamps in any RAL colour subject to an extra charge.
Contre un supplément, il est possible de commander la lampe dansune teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.
Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.
Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.*

WARRANTY

5 lat gwarancji na systemy szynowe. 3 lata gwarancji na sterowniki w lampach LED, drivery oraz moduły świecące wraz z diodami. Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą. A 5-year warranty is provided for track systems. A 3-year warranty is provided for LED lamp controllers, drivers and light modules, including diodes. The warranty period is counted from the date of purchase, confirmed by a receipt or an invoice. 5 év garancia érvényes a sínrendszerekre. 3 év garancia érvényes a LED lámpák vezérlőire, drivereire és a világító modulokra, a diódákkal együtt. A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni. Garantie de 5 ans sur les systèmes de rails. Une garantie de 3 ans s'applique aux contrôleurs/drivers des lampes LED ainsi qu'aux modules lumineux, diodes incluses. La durée de la garantie est comptée à partir du jour d'achat, confirmé par un ticket de caisse ou une facture. 5-ročná záruka sa vzťahuje na koľajnicové systémy. 3-ročná záruka sa vzťahuje na ovládače/drivery pre LED lampy a svetelné moduly vrátane diód. Záručná doba sa počíta od dátumu zakúpenia tovaru. 5letá záruka se vztahuje na lištové systémy. 3letá záruka se vztahuje na ovládače/drivery pro LED lampy a světelné moduly včetně diod. Záruční doba se počítá od data zakoupení zboží.
--

COLOUR RENDERING INDEX

Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80 Best colour rendering index, Ra (CRI) = 100 Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80 Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100 Ra (CRI)- Index podania farieb Štandard EU - Ra ≥ 80 Najlepší index podania farieb Ra(CRI)=100 Ra (CRI)- Index podání barev Standard EU - Ra ≥ 80 Nejlepší index podání barev Ra(CRI)=100
--